

L Number	Hits	Search Text	DB	Time stamp
-	1	"sliding-window multi-carrier"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 12:51
-	55	OFDM with transmitter with structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 12:57
-	0	"plurality of channels" and "time-domain to frequency-domain"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:00
-	0	"plurality of channels" and time adj domain with frequency adj domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:02
-	511	plurality adj3 channels and time adj domain with frequency adj domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:03
-	3341	multi-carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:03
-	76	(plurality adj3 channels and time adj domain with frequency adj domain) and multi-carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 14:29
-	21	5497398.URPN.	USPAT	2004/09/21 13:12
-	1	"5128964".PN.	USPAT	2004/09/21 13:15
-	721	FFt and multi-carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:16
-	171	(FFt and multi-carrier) and multi-tone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:23
-	12	5838799.URPN.	USPAT	2004/09/21 13:21
-	12	5838799.URPN.	USPAT	2004/09/21 13:22
-	7	("4314376"   "4601045"   "4914651"   "5148272"   "5289496"   "5291289"   "5293633").PN.	USPAT	2004/09/21 13:22
-	3632	multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:24
-	1074	discrete adj multi adj tone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:28
-	302	(multi adj carrier) and (discrete adj multi adj tone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 13:29

-	166	((multi adj carrier) and (discrete adj multi adj tone)) and fft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:35
-	158	((multi adj carrier) and (discrete adj multi adj tone)) and IFFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:37
-	378	DMT and multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:38
-	934	"discrete multi-tone"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:39
-	236	(DMT and multi adj carrier) and "discrete multi-tone"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:41
-	109	((DMT and multi adj carrier) and "discrete multi-tone") and orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:43
-	463	multi adj carrier with transmitter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:45
-	51801	plurality adj3 channels	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:46
-	39	(multi adj carrier with transmitter ) and (plurality adj3 channels)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:46
-	27	((multi adj carrier with transmitter ) and (plurality adj3 channels)) and orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:51
-	0	((multi adj carrier with transmitter ) and (plurality adj3 channels)) and "not orthogonal"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:52
-	99	((DMT and multi adj carrier) and "discrete multi-tone") and orthogonal) and transmitter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 13:58
-	177	cordic adj algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 15:45
-	8	IFFT and (cordic adj algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:07

-	108	adsl and tone adj ordering	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:14
-	92	(adsl and tone adj ordering) and gain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:14
-	22	(adsl and tone adj ordering) and gains	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:18
-	16	FFt with look-up adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:18
-	4	IFFt with look-up adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:22
-	0	20020105947.URPN.	USPAT	2004/09/21 16:20
-	0	20020105947.URPN.	USPAT	2004/09/21 16:20
-	3	multi adj carrier with look-up adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:26
-	187	multi adj carrier and look-up adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:29
-	1	IFFT with using with look-up adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:33
-	0	IFFT with using with lookup adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:34
-	37	IFFT with lookup adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 16:34
-	22	isaksson and "multi-carrier transmission systems"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 17:14
-	2	5933454.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 17:30
-	0	DMT and DQAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 09:54
-	21	DMT and Differential with QAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 09:54

-	2	5479447.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 09:56
-	2	5557612.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 10:20
-	5	sliding adj window adj transform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 12:37
-	125	multi adj carrier and sub adj band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:29
-	0	multi adj carrier and sub adj band and sliding adj window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:06
-	2	multi adj carrier and sub adj band and sliding adj window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:10
-	63	sliding adj window with transform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:10
-	322	multi adj carrier and sub adj (band or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:25
-	5893	sliding adj window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:25
-	4	(multi adj carrier and sub adj (band or channel)) and (sliding adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:25
-	65	(multi adj carrier and sub adj band) and fft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 11:29
-	63	sliding adj window with transform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 12:52
-	48	sliding adj window with FFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 12:54
-	248	sliding adj window and FFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 13:28

-	297	sliding with window and FFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 13:01
-	32	(sliding with window and FFT) and dmt	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 13:01
-	138	(sliding adj window and FFT) and parallel	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 13:29
-	6	("5128964"   "5497398"   "5673290"   "5715280"   "6119080"   "6351473").PN.	USPÄT	2004/09/22 13:47
-	16	("4977593"   "5027426"   "5153763"   "5195092"   "5262883"   "5299192"   "5303229"   "5323391"   "5499047"   "5499241"   "5512937"   "5553064"   "5745837"   "5751766"   "5995539"   "6091932").PN.	USPAT	2004/09/22 13:56
-	0	6606351.URPN.	USPAT	2004/09/22 13:56
-	125	multi adj carrier and sub adj band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:10
-	34	(multi adj carrier and sub adj band) and dmt	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:11
-	10	((multi adj carrier and sub adj band) and dmt) and adc	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:13
-	233	dmt and adsl and multi adj carrier and channel	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:20
-	83	dmt and adsl and multi adj carrier and sub adj channel	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:20
-	36176	frequency adj division dmt	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:38
-	631	frequency adj division and dmt	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:38
-	337	frequency adj division and dmt and FFT	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:38
-	152	(frequency adj division and dmt and FFT) and multi adj carrier	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:54

-	213	FDM and DMT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:54
-	111	(FDM and DMT) and fft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:59
-	165	cmfb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 14:59
-	5	cmfb and cosine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 16:03
-	82	DMT and FFT and AGC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 16:03
-	207992	DMT wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 16:17
-	511	DMT and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 16:17
-	125	(DMT and wireless) and multicarrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 16:17
-	78	((DMT and wireless) and multicarrier) and fft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:20
-	0	surface adj acoustic adj wave with filter with DMT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:21
-	6955	surface adj acoustic adj wave with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:21
-	52	(surface adj acoustic adj wave with filter ) and FFT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:22
-	24	(surface adj acoustic adj wave with filter ) and FDM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:50
-	25385	automatic adj gain adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:50

-	267	FDM and (automatic adj gain adj control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:51
-	13	(FDM and (automatic adj gain adj control)) and sub adj band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/22 17:51
-	2	5285474.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:07
-	3644	multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:29
-	100	spread\$5 adj decod\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:33
-	7	(multi adj carrier) and (spread\$5 adj decod\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:32
-	521	cdma and FDM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:33
-	2846	spread\$5 with decod\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:33
-	84	(multi adj carrier) and (spread\$5 with decod\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:46
-	8	spread adj decoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:48
-	100	spread\$5 adj decod\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 09:49
-	441	differential adj demodulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:33
-	285	differential adj demodulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:33
-	96121	phase adj difference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:34

-	54	(differential adj demodulation) and (phase adj difference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:36
-	5953	complex adj conjugate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:36
-	15	((differential adj demodulation) and (phase adj difference)) and (complex adj conjugate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 10:36
-	2	((((differential adj demodulation) and (phase adj difference)) and (complex adj conjugate)) and attenuation and distortion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 11:27
-	6323	frequency adj division adj multiplexing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:06
-	4174	(frequency adj division adj multiplexing) and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:05
-	1465	((frequency adj division adj multiplexing) and receiver) and telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:06
-	0	frequency adj division adj multiplexing adj reveiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:06
-	141	frequency adj division adj multiplexing adj receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:31
-	6	frequency adj division adj multiplexing adj receiver NOT orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:18
-	885	fdm and wireless not ortogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:22
-	885	fdm and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:21
-	563	fdm and wireless not orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:23
-	196	fdm and wireless not orthogonal and base adj station	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:23



-	0	frequency adj division adj multiplexing adj receiver and pass adj band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:25
-	3	(fdm and wireless not orthogonal and base adj station) and pass adj band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:25
-	47	cell adj phone and fdm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:36
-	0	FDM adj modulation adj of adj digital adj sub adj carrier\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:38
-	0	FDM with modulation adj of adj digital adj sub adj carrier\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:38
-	0	FDM with digital adj sub adj carrier\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:39
-	1038	receiver and structure and FDM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:41
-	457	(receiver and structure and FDM) and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:45
-	16	FDMA adj receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:49
-	4924	frequency adj division adj multiple adj access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:50
-	86	(frequency adj division adj multiple adj access) and receiver adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 12:50
-	0	3765/316	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:06
-	2985	375/316	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:07
-	94	375/316 and multi-carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:29

-	585	375/244	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:50
-	7	375/244 and multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:50
-	2397	375/240	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:56
-	23	375/240 and multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:56
-	818	370/210	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:56
-	164	370/210 and multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 14:56
-	2	5825325.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/23 16:06
-	0	5844949.pn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/04 17:26
-	2	5844949.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/04 17:26
-	2	6065060.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/04 17:29
-	556	plurality near3 demodulators	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 16:32
-	3675	multi adj carrier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 16:32
-	16	(plurality near3 demodulators) and (multi adj carrier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 16:32
-	7	equalizer with packet near5 header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 17:19

-	2	(multi adj carrier) and (equalizer with packet near5 header)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 17:15
-	330	equalizer near parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 17:20
-	25	(multi adj carrier) and (equalizer near parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 18:03
-	170	sliding-window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 18:04
-	2	(multi adj carrier) and sliding-window	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/06 18:04

Searching for PHRASE sliding window fft.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) CSB  
JBLP

**No documents match Boolean query. Trying non-Boolean relevance query.**

500 documents found. **Order: relevance to query.**

## Computing the Pipelined Phase-Rotation FFT - David Hallaron (Correct)

pp. 462-469 Computing the Pipelined Phase-Rotation FFT David R. O'Hallaron, Peter J. Lieu L.P. Withers, Ashburn, Virginia 22011 Abstract The phase-rotation FFT is a new form of the FFT that replaces data movement with multiplications The phase-rotation FFT is a new form of the FFT that replaces data movement with multiplications [www.cs.cmu.edu/afs/cs.cmu.edu/project/iwarp/archive/fx-papers/shpcc94.ps](http://www.cs.cmu.edu/afs/cs.cmu.edu/project/iwarp/archive/fx-papers/shpcc94.ps)

An Approach To Low-Power, High-Performance, Fast Fourier Transform .. - Baas (1999) (Correct)

Reserved iii Abstract The Fast Fourier Transform (FFT) is one of the most widely used digital signal  
have enabled the performance and integration of FFT processors to increase steadily, these advances  
n a situation where the number of potential FFT applications limited by maximum power budgets|not  
10va.stanford.edu/~bbaas/ps/dissertation/thesis.2.990325.odd.ps.gz

Fast Approximate Fourier Transform via Wavelets Transform - Guo, Burrus (1997) (Correct) (1 citation)

discrete Fourier transform (DFT) The Cooley-Tukey FFT is shown to be a special case of the proposed computational complexity is on the same order of the FFT, i.e.  $O(N \log^2 N)$  The main advantage of the Fourier transform (DFT) fast Fourier transform (FFT) This work was supported in part by ARPA, BNR  
www.ece.rice.edu/~harry/paper/denver96.ps.Z

Portable High Performance FFT Algorithms - Karner, Ueberhuber (1997) (Correct)

# Portable High Performance FFT Algorithms Herbert Karner Christoph W.

Objective of this paper is to present a portable **FFT** algorithm that runs efficiently on different  
<http://par.univie.ac.at/projects/aurora/reports/auroratr1997-14.ps.gz>

Developing Fast Fourier Transforms using the... - Dai, Gupta... (Correct)

development of programs for fast Fourier transforms (FFT) for vector multiprocessors and distributed-memory system for formula translation. Several forms of the FFT have been presented in the literature. Each form We augment the tensor product representation of the FFT to include a mixed radix and two-level  
www.cs.colostate.edu/~gupta/fft.ps.Z

Parallel FFT Algorithms with Reduced Communication Overhead - Karner, Ueberhuber (1998) (Correct)

## Parallel FFT Algorithms with Reduced Communication Overhead

intensive steps appearing in the four-step **FFT** algorithm -initial data distribution, matrix

† Kronecker product factorization of the four-step FFT algorithm. Contents 1 Introduction 4 2 Kronecker  
tp.par.univie.ac.at/projects/aurora/reports/auroratr1998-14.ps.gz

A Compilation System that Integrates High Performance Fortran and .. - Foster (1994) (Correct) (42 citations)

involves two 2-D fast Fourier transforms (FFTs) an element-wise matrix multiplication (MM) and matrix multiplication (MM) and an inverse 2-D FFT. The figure also illustrates one of the parallel flow data parallelism is to be exploited within each FFT. The 2-D FFT uses a REDISTRIBUTE statement to

<http://www.hensa.ac.uk/netlib/fortran-m/reports/shpcc94.ps.gz>

Performing Out-of-Core FFTs on Parallel Disk Systems - Cormen, Nicol (1997) (Correct) (8 citations)

Revised August 1997) Performing Out-of-Core FFTs on Parallel Disk Systems Thomas H. Cormen  
Science Abstract The Fast Fourier Transform (FFT) plays a key role in many areas of computational  
and engineering. Although most one-dimensional FFT problems can be entirely solved entirely in main  
[www.cs.dartmouth.edu/~thc/papers/fft-uniprocessor.ps.gz](http://www.cs.dartmouth.edu/~thc/papers/fft-uniprocessor.ps.gz)

Faster Fourier Transforms via Automatic Program Specialization - Lawall (1998) (Correct) (5 citations)

by the development of the Fast Fourier Transform (FFT) [7] which uses a divide-and-conquer algorithm to Despite the significantly improved performance, the FFT remains an expensive operation. Many computations spend a substantial amount of time performing FFT's. For example, the 125.turb3d program of the [www.irisa.fr/compose/papers/fft.ps.gz](http://www.irisa.fr/compose/papers/fft.ps.gz)

FTs in External or Hierarchical Memory - Bailey (1989) (Correct) (50 citations)

**FFTs** in External or Hierarchical Memory David H.

Large one-dimensional fast Fourier transforms (**FFTs**) even those algorithms recently developed for The principal reason for this is the fact that most **FFT** algorithms require at least  $m$  complete passes  
science.nasa.gov/Pubs/TechReports/RNRreports/dbailey/RNR-89-004/RNR-89-004.ps

Efficient Implementation of FFT-Like Algorithms on MIMD Systems - Nölle, Jungclaus (1991) (Correct) (1 citation)

Efficient Implementation of **FFT**-Like Algorithms on MIMD Systems Michael N OLLE

well known two-dimensional Fast Fourier Transform (**FFT**) algorithm. 1 The **FFT** may be taken as a key  
Fast Fourier Transform (**FFT**) algorithm. 1 The **FFT** may be taken as a key algorithm representing a  
www.techfak.uni-bielefeld.de/~nils/fft.ps.gz

The OpenGL Utility Toolkit (GLUT) Programming Interface - Kilgard (1996) (Correct) (2 citations)

OpenGL is a trademark of Silicon Graphics, Inc. X **Window** System is a trademark of X Consortium, Inc.  
cache2.cis.nctu.edu.tw/CIS/courses/Computer\_Graphics/OpenGL/xjournal/GLUT/glut-3.spec.ps.gz

On the Partitioning of Function in Distributed Synchronous... - Menges, Jeffay (Correct)

collaborative application development, and shared **window** systems. Collaboration toolkits usually focus on  
tp.cs.unc.edu/pub/users/jeffay/papers/CSCW-94.ps.Z

Formal Derivation of Divide-and-Conquer Programs: A Case... - Gorlatch, Bischof (1997) (Correct) (4 citations)

Programs: A Case Study in the Multidimensional **FFT**'s Sergei Gorlatch and Holger Bischof University

specification of the Fast Fourier Transform (**FFT**) to the DH format and thereby obtain a generic  
under MPI. The target program includes the efficient **FFT** solutions used in practice the binary-exchange  
tp.uni-passau.de/pub/local/parallel/papers/GorBi97.ps.Z

A Discrete BCG-FFT Algorithm for Solving 3D Inhomogeneous... - Gan, Chew (Correct)

A Discrete BCG-**FFT** Algorithm for Solving 3D Inhomogeneous Scatterer

algorithm combined with fast Fourier transform (**FFT**) is applied to solve the discrete linear system  
previous approaches, no approximation is made when **FFT** is used to accelerate the matrix-vector  
www.ccem.uiuc.edu/chew/e\_papers/KernPaper.ps

A High-Performance FFT Algorithm for Vector Supercomputers... - Intl Journal (Correct)

A High-Performance **FFT** Algorithm for Vector Supercomputers David H.

algorithms for computing the fast Fourier transform (**FFT**) on conventional computers are unacceptable for  
or evaluating one-dimensional power-of-two **FFT** that completely avoids power-of-two memory  
www.nersc.gov/~dhh/dhbpapers/fftzp.ps

3imodal Sensor Integration on the Example of "Speech-Reading" - Bregler, al. (1993) (Correct) (4 citations)

16 Melscale Fourier coefficients on the Hamming **Windowed** speech samples as input for the later  
would be an example for the first case and 2D-**FFT** for the second case. We follow the second  
10% are scaled linear between -1.0 and 1.0. 2D-**FFT**: The AOI is rescaled to a 64x64 pixel image so  
ink.boltz.cs.cmu.edu/papers/multimodal/93.icnn.ps.gz

Pseudo Vector Processor for High-Speed List Vector... - Nakamura Hiroshi (1994) (Correct)

operates the latency by introducing slide-**windowed** floating-point registers and prefetch-to-cache  
www.hal.rcast.u-tokyo.ac.jp/~nakamura/papers/Processor/tencon.ps.Z

A 9.5mW 330usec 1024-point FFT Processor - Baas (1998) (Correct)

A 9.5mW 330sec 1024-point **FFT** Processor Bevan M. Baas Department of Electrical

an energy-efficient, single-chip, 1024-point **FFT** processor. The full-custom, 460,000transistor  
oltage of 1.1V, it calculates a 1024-point complex **FFT** in 330sec at a clock speed of 16 MHz while  
iova.stanford.edu/~bbaas/ps/cicc98.paper.ps

Determining an Out-of-Core FFT Decomposition Strategy for... - Thomas Cormen (1999) (Correct) (3 citations)

Determining an Out-of-Core **FFT** Decomposition Strategy for Parallel Disks by

July 1997 Abstract We present an out-of-core **FFT** algorithm based on the in-core **FFT** method  
an out-of-core **FFT** algorithm based on the in-core **FFT** method developed by Swarztrauber. Our algorithm  
tp.cs.dartmouth.edu/pub/thc/IMA.ps.Z

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [NEC](#) and [IST](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 33 of about 49 for **sliding window multi-carrier DMT**. (0.38 seconds)

 Did you mean: [sliding window multicarrier DMT](#)
[Sponsored Links](#)

### [ATLAB DMTTEQ Toolbox](#)

.. MATLAB **Multicarrier** Equalizer Design Toolbox 3.1 Release, May 10 ... improvements: improved spectral estimation (**sliding** FFT with ... the text in the right-hand **window**. ... [www.ece.utexas.edu/~bevans/projects/adsl/dmtteq/dmtteq.html](http://www.ece.utexas.edu/~bevans/projects/adsl/dmtteq/dmtteq.html) - 15k - [Cached](#) - [Similar pages](#)

### [\[PDF\] Equalizer Design to Maximize Equalizer Design to Maximize Bit Rate ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... that can be supported ADSL G.DMT Values Down ... 12 Outline Outline • **Multicarrier** modulation • Conventional equalizer ... impulse response outside of **window** of v ...

[www.ece.utexas.edu/~bevans/projects/adsl/TEQdesign.pdf](http://www.ece.utexas.edu/~bevans/projects/adsl/TEQdesign.pdf) - [Similar pages](#)

[ [More results from www.ece.utexas.edu](#) ]

### [\[PDF\] MAP Crosstalk Profile Matching for Multicarrier Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

AP Crosstalk Profile Matching for **Multicarrier** Systems Carlos ... DMT modems use the FFT basis to partition the ... rithm is applied to a **sliding window** consisting of ... [www.ugcs.caltech.edu/~aldana/ictnew.pdf](http://www.ugcs.caltech.edu/~aldana/ictnew.pdf) - [Similar pages](#)

### [\[PDF\] Maximizing the channel capacity of multicarrier transmission by ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Maximizing the Channel Capacity of **Multicarrier** Transmission by ... has to be extracted by a rectangular **window**. ... the maximum energy content when **sliding** over the ... [dsl.fw.at/docs/papers/HenKes\\_2000\\_TransComm\\_MaxChanelCapacity.pdf](http://dsl.fw.at/docs/papers/HenKes_2000_TransComm_MaxChanelCapacity.pdf) - [Similar pages](#)

### [\[PDF\] Finite-alphabet based channel estimation for ofdm and related ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. symbols on those subcarriers as in DMT [19]. ... ESTIMATION FOR OFDM AND RELATED **MULTICARRIER** SYSTEMS 1407 ... rectangular shape where we form **sliding-window** (of size ...

[pincom.ece.umn.edu/shengli/FAfinalIEEE.pdf](http://pincom.ece.umn.edu/shengli/FAfinalIEEE.pdf) - [Similar pages](#)

### [\[PDF\] Standardized DSL Spectrum Management](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. G.shdsl, G.lite, G.dmt.bis, HDSL2 ... single-carrier equalizer equations, and **multi-carrier** water filling ... offset this looseness, a **sliding window** normalized power ... [iet3.arggreenhouse.com:8080/dsl-test/Help/SM\\_paper.pdf](http://iet3.arggreenhouse.com:8080/dsl-test/Help/SM_paper.pdf) - [Similar pages](#)

### [\[PDF\] Noncoherent and Coded OFDM Using Decision-Feedback Demodulation ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. selected discrete multitone (DMT) transmission for ... main advantage of **multi-carrier** transmission compared ... are overlapping by  $\pm \frac{1}{2}$  symbols (**sliding window**). ... [www.lnt.de/LITdoc/papers/ofdm00\\_diff.pdf](http://www.lnt.de/LITdoc/papers/ofdm00_diff.pdf) - [Similar pages](#)

### [\[PDF\] 80-Mb/s QPSK and 72-Mb/s 64-QAM flexible and scalable digital ofdm ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. The high PAPR of **multicarrier** signals requires TABLE I ... **sliding window** signal power estimation is used to validate ... task, since a token arrival **window** is defined ... [easy.intranet.gr/paper\\_13.pdf](http://easy.intranet.gr/paper_13.pdf) - [Similar pages](#)

### [Best Way Technologies](#)

A **multi-carrier** solution for when out of the box just won't do. [www.bestwaytech.com](http://www.bestwaytech.com)

### [Looking For Windows?](#)

Find Gliding **Window** Replacemen Contact Our Experts Today! [www.RenewalByAndersen.com](http://www.RenewalByAndersen.com) Virginia

### [Sliding Window](#)

Save Money with New, Energy Efficient Windows. Learn More. [www.GuideToWindows.com](http://www.GuideToWindows.com)

### [Order 5-Meo-Dmt](#)

and other research chems in stock shipped in 24 hours [www.JMResearch.org](http://www.JMResearch.org)

### [Discount Sliding Window](#)

New & used selection. aff **Sliding Window** for sale. [www.ebay.com](http://www.ebay.com)

[See your message here...](#)

Table of Contents

.. **Multicarrier** Modulation With Blind Detection Capability Using ... Optimum **DMT**-Based Transceivers for Multiuser ... A **Sliding Window** PDA for Asynchronous CDMA, and a ...  
[www.comsoc.org/livepubs/comm/Public/2003/dec/current.html](http://www.comsoc.org/livepubs/comm/Public/2003/dec/current.html) - 8k - [Cached](#) - [Similar pages](#)

Conference papers

.. Structuring and Basis Selection for Discrete **Multicarrier** Modulation," Proc. ... MV Fazebay and AN Akansu, "A **Sliding** and Variable **Window** Based Multitone ...  
[www-ec.njit.edu/~ali/conference.htm](http://www-ec.njit.edu/~ali/conference.htm) - 7k - [Cached](#) - [Similar pages](#)

PDF] A 1.6 Mbps Digital-QAM System for DSL Transmission

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Overall, the **DMT** approach outlined in [17] [19] realizes reliable, high-rate data ... is an artifact of the simulation and has to do with the **window** size used to ...  
[www.ee.ucla.edu/~babak/publications/adsl\\_jsac.pdf](http://www.ee.ucla.edu/~babak/publications/adsl_jsac.pdf) - [Similar pages](#)

PDF] SINTEF REPORT

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Mbit/s in the downstream direction. The ADSL system use **multicarrier** modulation (**MT**). The modulation on each subcarrier is adapted ...  
[www.npt.no/venstremeny/publikasjoner/div\\_rapporter/sintefrapport.pdf](http://www.npt.no/venstremeny/publikasjoner/div_rapporter/sintefrapport.pdf) - [Similar pages](#)

PDF] Joint Detection Strategies for Orthogonal Frequency Division ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. or discrete multi tone transmission **DMT Multicarrier** modulation provides ... OFDM system used for **multicarrier** modulation The ... is simply a rectangular **window** In the ...  
[mc.rice.edu/research/theses/AHM2000APR2JOINTDETEC.pdf](http://mc.rice.edu/research/theses/AHM2000APR2JOINTDETEC.pdf) - [Similar pages](#)

SES'04 - Papers

.. Design of Sigma-Delta Modulators Using the Theory of **Sliding** Modes. 519, **Multicarrier** Power Amplifier Evaluation. ... 539, The polynomial **window** and its Abel transform ...  
[ices2004.et.put.poznan.pl/papers.html](http://ices2004.et.put.poznan.pl/papers.html) - 19k - [Cached](#) - [Similar pages](#)

[PDF] OPENING SESSION: MONDAY, SEPTEMBER 13, 10:00 PLENARY LECTURES ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... DELTA MODULATORS USING THE THEORY OF **SLIDING** MODES SH. ... 17:10 568  
 BITRATE OPTIMIZATION OF **MULTICARRIER** TRANSMISSION VIA ... 15:10 539 THE  
 POLYNOMIAL **WINDOW** AND ITS ...  
[ices2004.et.put.poznan.pl/Preliminary\\_programme\\_ICSES\\_2004.pdf](http://ices2004.et.put.poznan.pl/Preliminary_programme_ICSES_2004.pdf) - [Similar pages](#)

Softwarepatente am Europäischen Patentamt

.. of the pilot carrier in a **multi-carrier** system. ... with espagnolette mechanism for **sliding** doors and **sliding** windows. ... AND ROUTING DATA CONTAINED IN A GUI **WINDOW**. ...  
[wpat.ffii.org/patente/txt/ep/1997.de.html](http://wpat.ffii.org/patente/txt/ep/1997.de.html) - 101k - [Cached](#) - [Similar pages](#)

[PDF] Softwarepatente am Europäischen Patentamt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the pilot carrier in a **multi-carrier** system ep0797370 ... mechanism for **sliding** doors and **sliding** windows ep0805926 ... DATA CONTAINED IN A GUI **WINDOW** ep0706684  
 APPLE ...  
[swpat.ffii.org/patente/txt/ep/swpiktxtep97.de.pdf](http://swpat.ffii.org/patente/txt/ep/swpiktxtep97.de.pdf) - [Similar pages](#)  
 [ [More results from swpat.ffii.org](#) ]

Education For Computers Search: discrete structures

.. for upstream multiplexing (although **DMT** does not ... wavelet multitone)—A **multicarrier** system using ... 2 Model Flushing .....8—**Sliding Window** Compression The ...  
[www.edcomp.com/results/discrete-structures.html](http://www.edcomp.com/results/discrete-structures.html) - 34k - [Cached](#) - [Similar pages](#)

USIPCO'2002 - Conference proceedings

.. Paper 144: Generation of Ultraspherical **Window** Functions ... 619: A new way to invert

**he sliding** Fourier transform ... 14:00 **Multi-Carrier** / OFDM (1/2) (Special/Saint ...  
[www.eurasip.org/eusipco2002/en/programme\\_05.html](http://www.eurasip.org/eusipco2002/en/programme_05.html) - 41k - [Cached](#) - [Similar pages](#)

**PDF] SP08-6: Per-Tone Equalization for OFDM over Doubly-Selective ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. frequency-domain equalization and/or time-domain **window**-ing. ...  $y(r) [(i+1)(N + v) + d - 1]$  T. To implement (8), we require  $(Q + 1)$  **sliding** FFTs per ...

[as.et.tudelft.nl/~leus/papers/icc04\\_2.pdf](http://as.et.tudelft.nl/~leus/papers/icc04_2.pdf) - [Similar pages](#)

**PDF] Implementation of a Low-Complexity MMSE Turbo-Equalizer on the ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. access. Several strategies are known to combat ISI, such as **multi-carrier** transmissions FDM, **DMT**) or spread-spectrum signaling. We ...

[verso.enst-bretagne.fr/~lebidan/TR\\_Elite03.pdf](http://verso.enst-bretagne.fr/~lebidan/TR_Elite03.pdf) - [Similar pages](#)

**PDF] CHAPTER 3**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Simulation Study of an ADSL Network Architecture: TCP/IP Performance

Characterization and Improvements using ACK Regulation ...

[scholar.lib.vt.edu/theses/available/etd-11172000-](http://scholar.lib.vt.edu/theses/available/etd-11172000-16550058/unrestricted/kphanse_thesis.pdf)

[16550058/unrestricted/kphanse\\_thesis.pdf](http://16550058/unrestricted/kphanse_thesis.pdf) - [Similar pages](#)

**PDF] T -SA C S , S , C**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Extension in **DMT** Systems 11:05 am Igor Djokovic, Pairgain Technologies MA3b-4  
 aximum Likelihood Detection of Nonlinearly Distorted **Multicarrier** Symbols by ...

[web.nps.navy.mil/~asilomar/asil98/prog98/prog.pdf](http://web.nps.navy.mil/~asilomar/asil98/prog98/prog.pdf) - [Similar pages](#)

**[PDF] T -EA C S , S C**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Kamran Eshraghian, Edith Cowan University MA2b-5 Robust Digital Control of Nonlinear  
 11:55 AM Micro-Electro-Mechanical Actuators using **Sliding**- Mode Control N ...

[web.nps.navy.mil/~asilomar/asil04/prog04/AdvanceProgram.pdf](http://web.nps.navy.mil/~asilomar/asil04/prog04/AdvanceProgram.pdf) - [Similar pages](#)

**Signal Processing, volume me 83 (2003)**

.. of the ICI principle to **window** size adaptive ... for code and channel estimation in

**ulticarrier** CDMA, pp ... and L. Castedo, Inversion of the **sliding** Fourier transform ...

[www.ph.tn.tudelft.nl/PRInfo/volumes/Signal.Processing.83.html](http://www.ph.tn.tudelft.nl/PRInfo/volumes/Signal.Processing.83.html) - 23k -

[Cached](#) - [Similar pages](#)

**Fall VTC2000 Conference Program Tuesday through Thursday**

.. 1. 26 Outage Probability of a **Multicarrier** DS/CDMA ... strength-based Cellular Location

Using Dynamic **Window**-width and ... in time by using a **sliding** correlator with ...

[www.cybercom.net/~slipoff/vtc2000/toc.html](http://www.cybercom.net/~slipoff/vtc2000/toc.html) - 101k - [Cached](#) - [Similar pages](#)

**PDF] ICSES'04 IWSSIP'04 Programme**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. All taxis, by law must have a tariff card on the **window** you can check the ... 11

ANALYSIS AND DESIGN OF SIGMA-DELTA MODULATORS USING THE THEORY OF

**SLIDING** MODES SH ...

[wssip2004.et.put.poznan.pl/Programme\\_ICSES\\_IWSSIP\\_2004.pdf](http://wssip2004.et.put.poznan.pl/Programme_ICSES_IWSSIP_2004.pdf) - [Similar pages](#)

**PDF] ELECTRICAL ENGINEERING**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Theory Digital Subscriber Lines Digital Transmission Frequency Reuse in Large Wireless  
 Networks Mobility in Wireless Networks **Multicarrier** Modulation and OFDM ...

[www.stanford.edu/dept/registrar/bulletin/bulletin01-02/pdf/ElectrEng.pdf](http://www.stanford.edu/dept/registrar/bulletin/bulletin01-02/pdf/ElectrEng.pdf) - [Similar pages](#)

**[PDF] EE/MSE PAGE**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. 150 SCHOOL OF ENGINEERING ELECTRICAL ENGINEERING Emeriti:

(Professors) James B. Angell, Clayton W. Bates, Jr., Ronald N. Bracewell ...



- [www.stanford.edu/dept/registrar/bulletin/bulletin00-01/pdf/ElectrEng.pdf](http://www.stanford.edu/dept/registrar/bulletin/bulletin00-01/pdf/ElectrEng.pdf) - [Similar pages](#)

### Citations: Accurate noise estimates in multicarrier systems ...

.. The MAP algorithm is applied to a **sliding window** consisting of L DMT symbols. ... J. Pellado, J. Cioffi, "Accurate noise estimates in multicarrier systems", Fa ...  
[siteseer.nj.nec.com/context/1803155/459157](http://siteseer.nj.nec.com/context/1803155/459157) - 7k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

### PDF] KERPEZ LAYOUT

File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. single- carrier equalizer equations, and **multicarrier** "water filling ... and G.lite are modulated with **DMT**, which transmits ... 1 dB, in any 100 kHz **sliding window**. ...  
[nfocom.uniroma1.it/~enzobac/rpaper22.pdf](http://nfocom.uniroma1.it/~enzobac/rpaper22.pdf) - Supplemental Result - [Similar pages](#)

### Fietoliikennetekniikan laitos

.. kerroksilla 2-4: stop-and-wait, **sliding window**, go-back-N, jne ... GOALS AND CONTENTS: Special course on **multicarrier** techniques (OFDM, **DMT**) and their ...  
[web.tut.fi/public/opaat/opas2000-2001/www\\_sivut0001/tlt\\_0001.html](http://web.tut.fi/public/opaat/opas2000-2001/www_sivut0001/tlt_0001.html) - 56k - Supplemental Result - [Cached](#) - [Similar pages](#)

### Communications

.. A **sliding window** PDA for asynchronous CDMA, and a ... Optimum **DMT**-based transceivers for multiuser ... **Multicarrier** modulation with blind detection capability using ...  
[www.gmrt.ncra.tifr.res.in/~lib/content/commudec03.htm](http://www.gmrt.ncra.tifr.res.in/~lib/content/commudec03.htm) - 29k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

*order to show you the most relevant results, we have omitted some entries very similar to the 33 already displayed.*

*you like, you can repeat the search with the omitted results included.*

Did you mean to search for: sliding window **multicarrier** DMT

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google